

Write your name here

Surname

Other names

Pearson Edexcel
Level 3 GCE

Centre Number

--	--	--	--	--

Candidate Number

--	--	--	--	--

Further Mathematics

Advanced

Further Mathematics Option 1

Paper 3: Further Statistics 1

Further Mathematics Option 2

Paper 4: Further Statistics 1

Sample Assessment Material for first teaching September 2017

Time: 1 hour 30 minutes

Paper Reference

9FM0/3B

9FM0/4B

You must have:

Mathematical Formulae and Statistical Tables, calculator

Total Marks

--

Candidates may use any calculator permitted by Pearson regulations. Calculators must not have the facility for algebraic manipulation, differentiation and integration, or have retrievable mathematical formulae stored in them.

Instructions

- Use **black** ink or ball-point pen.
- If pencil is used for diagrams/sketches/graphs it must be dark (HB or B).
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions and ensure that your answers to parts of questions are clearly labelled.
- Answer the questions in the spaces provided
– *there may be more space than you need.*
- You should show sufficient working to make your methods clear.
Answers without working may not gain full credit.
- Answers should be given to three significant figures unless otherwise stated.

Information

- A booklet 'Mathematical Formulae and Statistical Tables' is provided.
- There are 7 questions in this question paper. The total mark for this paper is 75.
- The marks for **each** question are shown in brackets
– *use this as a guide as to how much time to spend on each question.*

Advice

- Read each question carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ►

S54441A

©2017 Pearson Education Ltd.

1/1/1/1



Pearson

2. A call centre routes incoming telephone calls to agents who have specialist knowledge to deal with the call. The probability of a caller, chosen at random, being connected to the wrong agent is p .

The probability of at least 1 call in 5 consecutive calls being connected to the wrong agent is 0.049

The call centre receives 1000 calls each day.

- (a) Find the mean and variance of the number of wrongly connected calls a day. (7)
- (b) Use a Poisson approximation to find, to 3 decimal places, the probability that more than 6 calls each day are connected to the wrong agent. (2)
- (c) Explain why the approximation used in part (b) is valid. (2)

The probability that more than 6 calls each day are connected to the wrong agent using the binomial distribution is 0.8711 to 4 decimal places.

- (d) Comment on the accuracy of your answer in part (b). (1)

3. Bags of £1 coins are paid into a bank. Each bag contains 20 coins.

The bank manager believes that 5% of the £1 coins paid into the bank are fakes. He decides to use the distribution $X \sim B(20, 0.05)$ to model the random variable X , the number of fake £1 coins in each bag.

The bank manager checks a random sample of 150 bags of £1 coins and records the number of fake coins found in each bag. His results are summarised in Table 1. He then calculates some of the expected frequencies, correct to 1 decimal place.

Number of fake coins in each bag	0	1	2	3	4 or more
Observed frequency	43	62	26	13	6
Expected frequency	53.8	56.6		8.9	

Table 1

- (a) Carry out a hypothesis test, at the 5% significance level, to see if the data supports the bank manager's statistical model. State your hypotheses clearly. (10)

The assistant manager thinks that a binomial distribution is a good model but suggests that the proportion of fake coins is higher than 5%. She calculates the actual proportion of fake coins in the sample and uses this value to carry out a new hypothesis test on the data. Her expected frequencies are shown in Table 2.

Number of fake coins in each bag	0	1	2	3	4 or more
Observed frequency	43	62	26	13	6
Expected frequency	44.5	55.7	33.2	12.5	4.1

Table 2

- (b) Explain why there are 2 degrees of freedom in this case. (2)
- (c) Given that she obtains a χ^2 test statistic of 2.67, test the assistant manager's hypothesis that the binomial distribution is a good model for the number of fake coins in each bag. Use a 5% level of significance and state your hypotheses clearly. (2)

4. A random sample of 100 observations is taken from a Poisson distribution with mean 2.3

Estimate the probability that the mean of the sample is greater than 2.5

(4)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Question 5 continued

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(Total for Question 5 is 8 marks)

